# YOUR NEW ADDITION imageCLASS LBP6780x

WORKHORSE PLUS RANGE

– ADVANCE Mono Laser Printer

Ideal for mid to large enterprises, the LBP6780x offers your business the ability to be run as a standalone printer, or built into an MDS solution with the uniFLOW software embedded.

The LASER SHOT LBP6780x has sophisticated features and high-quality output to meet your business' needs. As an LBP ADVANCE model, it is built to complement larger business' existing printing environments. With features such as integrated PCL & Genuine Adobe PostScript, MEAP compatibility to allow the embedding of MEAP applications & compatibility with FM Audit & Print Fleet, this is the perfect complement to your business.

#### **Key Features**

#### **MEAP-Embedded**

 With the embedded MEAP environment, users are able to utilise a range of MEAP applications, such as uniFLOW, and Cloud Connect to enhance their workflows and increase productivity.

#### Lightning quick 40ppm

 With a print speed of 40ppm (A4), the LBP6780x is ideal for everyday office use. Less time spent waiting at the printer means more time doing business.

#### Low Power Consumption and Quick Start Up

By adopting Canon's unique
 On-Demand Fixing System, the
 LBP6780x achieves low power

 consumption of less than 15 watts

 in standby and quick start-up, with

 first page out in less than 8 seconds.

 Canon's On-Demand Fixing System

 enables instantaneous heating of the

fusing heater only before printing, saving warm-up time. The LBP6780x is always ready to print – saving you time and money.

#### Genuine Adobe PostScript,

#### & PCL Compatible

 The LBP6780x features genuine Adobe PostScript to ensure the best results when used in a PS environment. Further it also supports both PCL, making it ideal for use in large organisations with established print solutions.



#### **On Demand Fixing**

Canon's unique On Demand Fixing system offers low power consumption and fast recovery times from standby mode



#### Connectivity

Integrated network connection to easily share amongst many users within the office



#### **Automatic Image Refinement**

Increases the resolution of the print up to an equivalent of 2400 x 600 dpi ensuring that you get a professional looking document every time



#### **Auto Duplex**

Auto duplex for easy double sided printing



#### **Fast Print Speed**

Offering up to 40 ppm print speeds with a 0 sec recovery from sleep mode so you will never be stuck by the printer again



## PCL 5e/5, PostScript & UFR Support

Supports common printer languages for seamless integration into an existing print solution



#### Powered By MEAP

Running MEAP applications such as uniFLOW is no problem with the LBP6780x's integrated MEAP environment



# Compatibility with FM Audit / Print Fleet

### PRINTFLEET

Compatibility with FM Audit & Print Fleet for easy inclusion into multi-vendor MPS solutions



## Low Power Consumption in Standby

By offering reduced power consumption, Canon Laser Printers will save you money and help the environment

#### **Laser Printers**

Canon laser printers combine a range of features and technologies to deliver fast, high quality and reliable printing. So if you are looking to create professional business documents while reducing your running costs, Canon lasers fit the bill.

Subject to change without notice.





#### LASER SHOT LBP6780x

#### Workhorse plus range – ADVANCE Mono Laser Printer

Print Specification	
Printing Method	Electrophotographic printing using laser beam printing
Fixing Method	On Demand Fixing
FPOT	8.6 sec (A4)/8.5 sec (LTR)
Print Speed <sup>2</sup>	Mono: A4/letter: 40/42 pages/min Duplex: A4/letter: 20/20.5 pages/min
Resolution	600 x 600dpi/1200 x 1200dpi equivalent¹/ 2400 x 600dpi equivalent¹
Other Features	
Warm-up time (when the printer is turned on)	28 sec or less (TBD)
Recovery time (from sleep mode)	0 sec (Printer sleep mode 1) 10 sec (Printer sleep mode 2) 10 sec (Printer sleep mode 3)
Media Handling	
Paper Input (based on 80g/m²)	Standard cassette: 500 sheets Multi-purpose tray: 100 sheets Optional cassette: 500 sheets x 2 Maximum paper capacity: 1600 sheets
Paper output (based on 80g/m²)	Face-down: 250 sheets Face-up: 50 sheets
Paper size	Standard: A4/B5/A5/A6/Legal/Letter/ Executive/16K/8.5" x 13"/Custom (width 105.0–215.9mm x length 148.0–355.6mm) Optional: A4/B5/A5/A6/Legal/Letter/ Executive/16K/8.5" x 13"/Custom (width 76.2–215.9mm x length 127.0–355.6mm) Multi-purpose tray: A4/B5/A5/A6/Legal/Letter/ Executive/16K/8.5" x 13"/Custom (width 105.0–215.9mm x length 148.0–355.6mm)
Paper weight	Standard: 60–120g/m² Optional: 60–199g/m² Multi-purpose tray: 60–120g/m²
Paper type	Plain paper, Heavy Paper, Transparency, Label, Index card, Envelope
Effective Printing Area	5 mm top, bottom, left and right (Envelope: 10 mm)
Duplex Printing	Standard (only A4/Letter/Legal/8.5" x 13") (Paper Weight: 60-120g/m²)

Canon Extended on SERVICE SUPPOR	&
----------------------------------	---

 ${\it LAS-2YOS-1-3\ year\ Extended\ Onsite\ Service\ \&\ Support\ card}$ 

#### **General Features**

Octional Catalog	
Memory (RAM)	Standard: 768MB Maximum: 768MB
Operation mode	Page description language: UFR II, PCL5e, PCL6, Postscript3
Optional ROM	16MB (Bar DIMM)
Standard font	PCL Font: 93 PS Font: 136
HDD	Optional 8GB SD Card
I/F	USB: USB2.0HS, USB Host x 2 Network: 10Base-T/100Base-TX/1000Base-T Expansion I/F: Slot x 1 for Canon SD card (for secure print function)
Compatible operating systems	WindowsXP (32bit/64bit)/Windows Server 2003 (32bit/64bit)/Windows Vista (32bit/64bit)/Windows Server 2008 R2 (64bit)/Windows Server 2008 (32bit/64bit)/Windows 7 (32bit/64bit) Mac OS 10.4.9–10.6.x Linux, Citrix
Noise level	During operation: 54.5 dB or less (sound pressure level) During standby: Sound pressure level: inaudible
Power consumption (W)	Maximum: 1400 W or less Operation: Approx. 660W During standby: Approx. 15W During sleep: Sleep Mode 1: Approx. 15 W Sleep Mode 2: Approx. 5.4 W Sleep Mode 3: Approx. 1.0 W
Dimensions (WxDxH)	454 mm x 424 mm x 345 mm
Weight (kg) without CRG	Approx. 16.6 kg
Power requirement	220-240V (±10%)/50-60Hz(±2Hz)
Operating environment	Temperature: 10–30°C Humidity: 20–80%RH (no condensation)
Toner Specifications	
Cartridges	CART324: yields 6,000 pages CART324II (High Yield): yields 12,500 pages
1. Using A.I.R.	

- 1. Using A.I.R.
- Print speed may vary with the content of the document and the processing speed of the host computer. Time from when print data is received.

Subject to change without notice.

canon.com.au/business Follow us on Twitter @CanonBusinessAU 1800 444 199

2720-v1-02/14



